ELSEVIER

Brain Research 914 (2001) 208–209

BRAIN RESEARCH

www.elsevier.com/locate/bres

Author Index

Aguirre, F., see Capani, F. (914) 204
Albers, H.E., see Whitten, R.D. (914) 74
Ali, S.F., see Xu, Z. (914) 166
Allen, J.W., see Shanker, G. (914) 159
Aschner, M., see Shanker, G. (914) 159

Behar, K.L., see Mason, G.F. (914) 81
Bent, L.R., Potvin, J.R., Brooke, J.D. and McIlroy, W.E.
Medio-lateral balance adjustments preceding reflexive limb withdrawal are modified by postural demands (914) 100
Brooke, J.D., see Bent, L.R. (914) 100
Buchholz, J.N., see Pottorf, W.J. (914) 57
Bult, A., Kobylk, M.E. and Van der Zee, E.A.
Differential expression of protein kinase C βI (PKCβI) but not PKCα and PKCβII in the suprachiasmatic nucleus of selected house mouse lines, and the relationship to arginine-vasopressin (914) 123

Cai, Z., see Pang, Y. (914) 15
Capani, F., Loidl, C.F., Aguirre, F., Piehl, L., Facorro, G., Hager, A., De Paoli, T., Farach, H. and Pecci-Saavedra, J.
Changes in reactive oxygen species (ROS) production in rat brain during global perinatal asphyxia: an ESR study (914) 204
Cheetham, M., see Guzhova, I. (914) 66

De Leon, D.D., see Pottorf, W.J. (914) 57
De Paoli, T., see Capani, F. (914) 204
Dick, S.H., French, A.S. and Rasmusson, D.D.
Postsynaptic dorsal column and cuneate neurons in raccoon: comparison of response properties and cross-correlation analysis (914) 134
Duan, L., see Ge, X. (914) 149
Dunlop, J., see Trotti, D. (914) 196

Facorro, G., see Capani, F. (914) 204
Farach, H., see Capani, F. (914) 204
French, A.S., see Dick, S.H. (914) 134
Fridlanskaya, I., see Guzhova, I. (914) 66
Fujita, H., Zhang, B., Sato, K., Tanaka, J. and Sakanaka, M.
Expressions of neuropilin-1, neuropilin-2 and semaphorin 3A mRNA in the rat brain after middle cerebral artery occlusion (914) 1

Galasko, D., see Rockenstein, E. (914) 48
Ge, X., Yang, Z.-j., Duan, L. and Rao, Z.-r.
Evidence for involvement of the neural pathway containing the peripheral vagus nerve, medullary visceral zone and central amygdaloid nucleus in neuroimmunomodulation (914) 149
Guzhova, I., Kislyakova, K., Moskaliova, O., Fridlanskaya, I., Tytell, M., Cheetham, M. and Margulis, B.
In vitro studies show that Hsp70 can be released by glia and that exogenous Hsp70 can enhance neuronal stress tolerance (914) 66

Hager, A., see Capani, F. (914) 204
Haji, A., see Okazaki, M. (914) 34
Hansen, L.A., see Rockenstein, E. (914) 48
Hediger, M.A., see Trotti, D. (914) 196
Hessinger, D.A., see Pottorf, W.J. (914) 57
Horie, S., see Tsuchiya, S. (914) 115
Horii, A., Koike, K., Uno, A., Uno, Y. and Kubo, T.
Vestibular modulation of plasma vasopressin levels in rats (914) 179
Horsburgh, K., see Kelly, S. (914) 185
Huhman, K.L., see Whitten, R.D. (914) 74

Jasnow, A.M., see Whitten, R.D. (914) 74

Kelly, S., McCulloch, J. and Horsburgh, K.
Minimal ischaemic neuronal damage and HSP70 expression in MF1 strain mice following bilateral common carotid artery occlusion (914) 185
Kislyakova, K., see Guzhova, I. (914) 66
Kobylk, M.E., see Bult, A. (914) 123
Koike, K., see Horii, A. (914) 179
Kozicz, T.
Axon terminals containing tyrosine hydroxylase- and dopamine-β-hydroxylase immunoreactivity form synapses with galanin immunoreactive neurons in the lateral division of the bed nucleus of the stria terminalis in the rat (914) 23

Kubo, T., see Horii, A. (914) 179

Lephart, E.D., see Lund, T.D. (914) 92
Loidl, C.F., see Capani, F. (914) 204
Lund, T.D., Rhees, R.W., Setchell, K.D.R. and Lephart, E.D.
Altered sexually dimorphic nucleus of the preoptic area (SDN-POA) volume in adult Long–Evans rats by dietary soy phytoestrogens (914) 92

Maeda, T., see Yamazaki, Y. (914) 106
Mallory, M., see Rockenstein, E. (914) 48
Manor, D., see Mason, G.F. (914) 81
Margulis, B., see Guzhova, I. (914) 66
Martin, D.L., see Mason, G.F. (914) 81
Martin, S.B., see Mason, G.F. (914) 81
Martin-Schild, S., see Whitten, R.D. (914) 74
Masliah, E., see Rockenstein, E. (914) 48
Mason, G.F., Martin, D.L., Martin, S.B., Manor, D., Sibson, N.R., Patel, A., Rothman, D.L. and Behar, K.L.
Decrease in GABA synthesis rate in rat cortex following GABA-transaminase inhibition correlates with the decrease in GAD_{65} protein (914) 81
McCulloch, J., see Kelly, S. (914) 185
McIlroy, W.E., see Bent, L.R. (914) 100
Moskaliova, O., see Guzhova, I. (914) 66
Mutkus, L.A., see Shanker, G. (914) 159

Okazaki, M., Takeda, R., Haji, A. and Yamazaki, H.
Glutamic acid decarboxylase-immunoreactivity of bulbar respiratory neurons identified by intracellular recording and labeling in rats (914) 34

Pang, Y., Cai, Z. and Rhodes, P.G.
Analysis of genes differentially expressed in astrocytes stimulated with lipopolysaccharide using cDNA arrays (914) 15
Patel, A., see Mason, G.F. (914) 81
Pecci-Saavedra, J., see Capani, F. (914) 204
Peng, J.-B., see Trotti, D. (914) 196
Piehl, L., see Capani, F. (914) 204
Pottorf, W.J., De Leon, D.D., Hessinger, D.A. and Buchholz, J.N.

0006-8993/01/$ – see front matter © 2001 Elsevier Science B.V. All rights reserved.
PII: S0006-8993(01)02978-X

ELSEVIER

Brain Research 914 (2001) 208–209

BRAIN RESEARCH

www.elsevier.com/locate/bres

Author Index

Aguirre, F., see Capani, F. (914) 204
Albers, H.E., see Whitten, R.D. (914) 74
Ali, S.F., see Xu, Z. (914) 166
Allen, J.W., see Shanker, G. (914) 159
Aschner, M., see Shanker, G. (914) 159

Behar, K.L., see Mason, G.F. (914) 81
Bent, L.R., Potvin, J.R., Brooke, J.D. and McIlroy, W.E.
Medio-lateral balance adjustments preceding reflexive limb withdrawal are modified by postural demands (914) 100
Brooke, J.D., see Bent, L.R. (914) 100
Buchholz, J.N., see Pottorf, W.J. (914) 57
Bult, A., Kobylk, M.E. and Van der Zee, E.A.
Differential expression of protein kinase C βI (PKCβI) but not PKCα and PKCβII in the suprachiasmatic nucleus of selected house mouse lines, and the relationship to arginine-vasopressin (914) 123

Cai, Z., see Pang, Y. (914) 15
Capani, F., Loidl, C.F., Aguirre, F., Piehl, L., Facorro, G., Hager, A., De Paoli, T., Farach, H. and Pecci-Saavedra, J.
Changes in reactive oxygen species (ROS) production in rat brain during global perinatal asphyxia: an ESR study (914) 204
Cheetham, M., see Guzhova, I. (914) 66

De Leon, D.D., see Pottorf, W.J. (914) 57
De Paoli, T., see Capani, F. (914) 204
Dick, S.H., French, A.S. and Rasmusson, D.D.
Postsynaptic dorsal column and cuneate neurons in raccoon: comparison of response properties and cross-correlation analysis (914) 134
Duan, L., see Ge, X. (914) 149
Dunlop, J., see Trotti, D. (914) 196

Facorro, G., see Capani, F. (914) 204
Farach, H., see Capani, F. (914) 204
French, A.S., see Dick, S.H. (914) 134
Fridlanskaya, I., see Guzhova, I. (914) 66
Fujita, H., Zhang, B., Sato, K., Tanaka, J. and Sakanaka, M.
Expressions of neuropilin-1, neuropilin-2 and semaphorin 3A mRNA in the rat brain after middle cerebral artery occlusion (914) 1

Galasko, D., see Rockenstein, E. (914) 48
Ge, X., Yang, Z.-j., Duan, L. and Rao, Z.-r.
Evidence for involvement of the neural pathway containing the peripheral vagus nerve, medullary visceral zone and central amygdaloid nucleus in neuroimmunomodulation (914) 149
Guzhova, I., Kislyakova, K., Moskaliova, O., Fridlanskaya, I., Tytell, M., Cheetham, M. and Margulis, B.
In vitro studies show that Hsp70 can be released by glia and that exogenous Hsp70 can enhance neuronal stress tolerance (914) 66

Hager, A., see Capani, F. (914) 204
Haji, A., see Okazaki, M. (914) 34
Hansen, L.A., see Rockenstein, E. (914) 48
Hediger, M.A., see Trotti, D. (914) 196
Hessinger, D.A., see Pottorf, W.J. (914) 57
Horie, S., see Tsuchiya, S. (914) 115
Horii, A., Koike, K., Uno, A., Uno, Y. and Kubo, T.
Vestibular modulation of plasma vasopressin levels in rats (914) 179
Horsburgh, K., see Kelly, S. (914) 185
Huhman, K.L., see Whitten, R.D. (914) 74

Jasnow, A.M., see Whitten, R.D. (914) 74

Kelly, S., McCulloch, J. and Horsburgh, K.
Minimal ischaemic neuronal damage and HSP70 expression in MF1 strain mice following bilateral common carotid artery occlusion (914) 185
Kislyakova, K., see Guzhova, I. (914) 66
Kobylk, M.E., see Bult, A. (914) 123
Koike, K., see Horii, A. (914) 179
Kozicz, T.
Axon terminals containing tyrosine hydroxylase- and dopamine-β-hydroxylase immunoreactivity form synapses with galanin immunoreactive neurons in the lateral division of the bed nucleus of the stria terminalis in the rat (914) 23

Kubo, T., see Horii, A. (914) 179

Lephart, E.D., see Lund, T.D. (914) 92
Loidl, C.F., see Capani, F. (914) 204
Lund, T.D., Rhees, R.W., Setchell, K.D.R. and Lephart, E.D.
Altered sexually dimorphic nucleus of the preoptic area (SDN-POA) volume in adult Long–Evans rats by dietary soy phytoestrogens (914) 92

Maeda, T., see Yamazaki, Y. (914) 106
Mallory, M., see Rockenstein, E. (914) 48
Manor, D., see Mason, G.F. (914) 81
Margulis, B., see Guzhova, I. (914) 66
Martin, D.L., see Mason, G.F. (914) 81
Martin, S.B., see Mason, G.F. (914) 81
Martin-Schild, S., see Whitten, R.D. (914) 74
Masliah, E., see Rockenstein, E. (914) 48
Mason, G.F., Martin, D.L., Martin, S.B., Manor, D., Sibson, N.R., Patel, A., Rothman, D.L. and Behar, K.L.
Decrease in GABA synthesis rate in rat cortex following GABA-transaminase inhibition correlates with the decrease in GAD_{65} protein (914) 81
McCulloch, J., see Kelly, S. (914) 185
McIlroy, W.E., see Bent, L.R. (914) 100
Moskaliova, O., see Guzhova, I. (914) 66
Mutkus, L.A., see Shanker, G. (914) 159

Okazaki, M., Takeda, R., Haji, A. and Yamazaki, H.
Glutamic acid decarboxylase-immunoreactivity of bulbar respiratory neurons identified by intracellular recording and labeling in rats (914) 34

Pang, Y., Cai, Z. and Rhodes, P.G.
Analysis of genes differentially expressed in astrocytes stimulated with lipopolysaccharide using cDNA arrays (914) 15
Patel, A., see Mason, G.F. (914) 81
Pecci-Saavedra, J., see Capani, F. (914) 204
Peng, J.-B., see Trotti, D. (914) 196
Piehl, L., see Capani, F. (914) 204
Pottorf, W.J., De Leon, D.D., Hessinger, D.A. and Buchholz, J.N.

0006-8993/01/$ – see front matter © 2001 Elsevier Science B.V. All rights reserved.
PII: S0006-8993(01)02978-X

Function of SERCA mediated calcium uptake and expression of SERCA3 in cerebral cortex from young and old rats (914) 57
Potvin, J.R., see Bent, L.R. (914) 100

Rao, Z.-r., see Ge, X. (914) 149
Rasmusson, D.D., see Dick, S.H. (914) 134
Rhees, R.W., see Lund, T.D. (914) 92
Rhodes, P.G., see Pang, Y. (914) 15
Rockenstein, E., Hansen, L.A., Mallory, M., Trojanowski, J.Q., Galasko, D. and Masliah, E.
Altered expression of the synuclein family mRNA in Lewy body and Alzheimer's disease (914) 48
Rothman, D.L., see Mason, G.F. (914) 81

Sakanaka, M., see Fujita, H. (914) 1
Sato, K., see Fujita, H. (914) 1
Seidler, F.J., see Xu, Z. (914) 166
Setchell, K.D.R., see Lund, T.D. (914) 92
Shanker, G., Allen, J.W., Mutkus, L.A. and Aschner, M.
Methylmercury inhibits cysteine uptake in cultured primary astrocytes, but not in neurons (914) 159
Sibson, N.R., see Mason, G.F. (914) 81
Slikker Jr., W., see Xu, Z. (914) 166
Slotkin, T.A., see Xu, Z. (914) 166
Someya, G., see Yamazaki, Y. (914) 106

Takeda, R., see Okazaki, M. (914) 34
Tanaka, J., see Fujita, H. (914) 1
Trojanowski, J.Q., see Rockenstein, E. (914) 48
Trotti, D., Peng, J.-B., Dunlop, J. and Hediger, M.A.
Inhibition of the glutamate transporter EAAC1 expressed in *Xenopus* oocytes by phorbol esters (914) 196
Tsuchiya, S., Horie, S., Yano, S. and Watanabe, K.
Stimulatory effects of centrally injected kainate and *N*-methyl-D-aspartate on gastric acid secretion in anesthetized rats (914) 115
Tytell, M., see Guzhova, I. (914) 66

Uno, A., see Horii, A. (914) 179
Uno, Y., see Horii, A. (914) 179

Van der Zee, E.A., see Bult, A. (914) 123

Wakisaka, S., see Yamazaki, Y. (914) 106
Watanabe, K., see Tsuchiya, S. (914) 115
Whitten, R.D., Jasnow, A.M., Albers, H.E., Martin-Schild, S., Zadina, J.E. and Huhman, K.L.
The effects of endomorphin-1 on conditioned defeat in Syrian hamsters (*Mesocricetus auratus*) (914) 74

Xu, Z., Seidler, F.J., Ali, S.F., Slikker Jr., W. and Slotkin, T.A.
Fetal and adolescent nicotine administration: effects on CNS serotonergic systems (914) 166

Yamazaki, H., see Okazaki, M. (914) 34
Yamazaki, Y., Maeda, T., Someya, G. and Wakisaka, S.
Temporal and spatial distribution of Fos protein in the lumbar spinal dorsal horn neurons in the rat with chronic constriction injury to the sciatic nerve (914) 106
Yang, Z.-j., see Ge, X. (914) 149
Yano, S., see Tsuchiya, S. (914) 115

Zadina, J.E., see Whitten, R.D. (914) 74
Zhang, B., see Fujita, H. (914) 1